

## Aperçu

### Informations sur le produit



## DG2206S-7.5-10060008392

PCB terminal blocks, Rated current: 41A, Rated voltage (III/2) : 1000V, Cross section: 6mm<sup>2</sup>, Pitch: 7.5mm, Connection method: Push-in spring connection, Color: Green, Contact surface: Tin

### Les avantages des produits

- Push-in spring connection, excellent anti-vibration performance, tool-free.
- Dual-Lever Spring patented technology, easy and comfortable operation.  
( Chinese patent for Utility Model, patent application number ZL201921625513.6 )
- Levers status is optional (open/close), suitable for multi-core cable.

### Les certificats des produits



## Caractéristiques techniques

### Dessin de produit

### Modèle 3D

□

### Processing notes

Process	Wave soldering/manual soldering
---------	---------------------------------

### Connection capacity

Conductor cross section solid	0.2~10mm <sup>2</sup>
Conductor cross section flexible	0.2~10mm <sup>2</sup>
AWG	22~8AWG
Strip length	12mm

### Electrical parameters UL

Rated voltage (B)	600V
Rated voltage (C)	600V
Rated current (B)	41A
Rated current (C)	41A

#### Electrical parameters IEC

Rated voltage	1000V
Rated current(III/3)	800V
Rated current	41A
Rated current(III/2)	1000V
Rated current(II/2)	1000V
Rated surge voltage(III/3)	8KV
Rated surge voltage(III/2)	8KV
Rated surge voltage(II/2)	8KV

#### Item properties

Type of installation	PCB welding
Pin arrangement	Double-row in a straight line
Connection method	Push-in spring connection
Pitch	7.5mm
Number of potentials	1
Pluggable or not	no
Number of rows	1

#### Material data

Environmental items	Compliant with REACH/RoHS
Contact material	copper
Contact point metal surface	tin-plated

Insulation Materials	PA66
Insulating material group	I
Flammability rating	UL94V-0

#### Mechanical tests

Test Specification	IEC60947/UL1059
--------------------	-----------------

#### Environmental data

Ambient temperature (operation)	-40°C~105°C
---------------------------------	-------------

#### Accessoires

#### Caractéristiques commerciales

Numéro de la commande	10060008392
Unité d'emballage	300
Quantité minimale de commande	
Le poids de produit (sans emballage)	7.5