


총괄

제품 장점



WS6-DP-EE10111139E

Spring-cage type Din-Rail TPBC, connect, r o etm hdSpring-cage:pl/ g-in
c, nnect, rBRateh u, ltagedN01 bBRateh c/ rrentd03 f Bs/ o 2er , Cc, nnect, r. d
3Bs/ o 2er , Qp, tential. dEB² r, . . . ecti, nd1/8 o o G- 6 o o 0.6 W4 d39 - E3B
Wihtrnd8 o o B² , l, rdgrayBw, / nting typedManel in. tallati, n

제품 장점

- ☑. Spring-cage c, nnecti, n tecm, l, gyBg, , h anti-ui2rati, n perCro ance;
- ☑5. e an , rhinary Cat-2lahe . cre7hriuerBy, / can ea. ily 7ire anh tave trre 7ire;
- ☑Manel in. tallati, nBn, neeh t, in. tall , n trre g/ ihe rail;
- ☑² an 2e o atcmeh 7itmo arver . trip. t, au, ih inc, rrect in. erti, n , C7ire. .

제품 인증



기술 데이터

제품 도면

0D

□

Wiring hata

Strip lengtm	E1UE3o o
² , nh/ ct, r cr, . . . ecti, n . , lih	1/8U6o o G
² , nh/ ct, r cr, . . . ecti, n 0.6ki2le	1/8U6o o G
² , nh/ ct, r cr, . . . ecti, n . , lih f W4	39UE3

%nuir, no ental c, nhiti, n.

f o 2ient teo perat/ re ~, perati, nx	-61 (² UE1) (² (hepenhing , n herating c/ rue)
Relative m/ o ihity ~ t, rage:tran. p, rtx	3) ° U8) °

Electrical parameter.

Rate u, Itage 0x	N01b
Rate c/ rrent 0x	03f
Rate . / rge u, Itage	9Vb

nuir, no ental pr, tecti, n

R% ² mSbH ²	Leah 860Q-C3-E
R, HS	s, ekce. iue maro C1 . / 2. tance.

Dio en. i, n

%nh plate 7ihtm	3A o o
lengthm	00A o o
7ihtm	8o o
Heignt	30o o

Yueruie7

² , nnecti, n type	M Il 2acv . pring c, nnecti, n
s/ o 2er , Qr, 7.	E
n/ o 2er , Cc, nnecti, n.	3
Ypen-enh . ihe panel.	I e.
K. / lati, n waterial.	Mf
Flao e retarhant graheBin line 7itm5L C6	b1

약세사리

warver

T, p o arver	:
Sihe o arver	D%/N
warver . / pp, rt	:

Warning c, uer	:
----------------	---

f cce. . , rie.

Sl, tteh . cre7hriuer . iZe ~Plahe tricvne. . k Wihtmx	1A z0A
f hæcent ✕ o per ~3Mx	:
f lternate ✕ o per ~3Mx	:
Staggereh ✕ o per ~3Mx	:
%nh c, uer	D-WS6-DP

₩. tallati, n

D₩ rail o , / nting aheader	WHH-WSE~ -DP
%nh clao p	%WS s : %M# -EE11f
Tero inal . trip o arver . / pp, rt	VLw0-31k9 : VLw0-66k9 : DP%E : DP%3
D₩ rail	sS0) :8~ -E111-11f ~Hx

warving Q ₩. tallati, n

warving . trip	D%/N
----------------	------

f cce. . , rie.

%nh c, uer	D-WS6-DP
Rail aheader	WHH-WSE~ -DP

비즈니스 데이터

발주 번호	EE10111139E
포장 단위	E11
wYj	E11
제품 무게 ~포장 제외x	6~E1E