

## Przegląd

### Informacje o produkcie



## DG2002-4.0-300R(H)-10060002091

PCB spring terminal blocks, Rated current: 9A. Rated voltage (III/2) : 160V, pitch: 4.0mm, Color: White, Contact surface : Tin

### Zalety produktu

- ☒ PUSH-IN connection technology, fast wiring
- ☒ Suitable for SMT welding process
- ☒ Compact structure, saving installation space

### Certyfikacja produktu



## Dane techniczne

### Rysunek produktu

### Model 3D

□

### Electrical parameters UL

Rated current (B)

9A

### Electrical parameters IEC

Rated voltage

160V

Rated voltage(III/3)

32V

Rated current

9A

Rated voltage(III/2)

160V

Rated voltage(II/2)

160V

Rated surge voltage(III/3)

4KV

Rated surge voltage(III/2)

4KV

|                           |     |
|---------------------------|-----|
| Rated surge voltage(II/2) | 4KV |
|---------------------------|-----|

#### Item properties

|                      |     |
|----------------------|-----|
| Connection direction | 0°  |
| Pitch                | 4mm |
| Number of potentials | 2   |
| Pluggable or not     | no  |
| Number of rows       | 1   |

#### Material data

|                           |                                      |
|---------------------------|--------------------------------------|
| Environmental items       | Compliant with REACH/RoHS            |
| Insulation Materials      | High temperature resistant materials |
| Insulating material group | IIIa                                 |
| Flammability rating       | UL94V-0                              |

#### Mechanical tests

|                    |                 |
|--------------------|-----------------|
| Test Specification | IEC60947/UL1977 |
|--------------------|-----------------|

#### Environmental data

|                                 |           |
|---------------------------------|-----------|
| Ambient temperature (operation) | -40℃~130℃ |
|---------------------------------|-----------|

### Akcesoria

#### Accessories

|               |           |
|---------------|-----------|
| Coding strip  | /         |
| Bridge        | DG027-4.0 |
| Marking strip | /         |
| Others        | /         |

#### Tool

|                |       |
|----------------|-------|
| Operating tool | DG028 |
|----------------|-------|

Screwdriver

/

#### Dane biznesowe

|                                 |             |
|---------------------------------|-------------|
| numer zamówienia                | 10060002091 |
| Jednostka opakowania            | 0           |
| Minimalna ilość zamówienia      | 30          |
| Waga produktów (bez opakowania) | 0.93        |