## Panoramica

### Informazioni sul prodotto



# 2EDGRHC-5.08-10030007811

Pluggable terminal blocks,Rated current:8A.Rated voltage （III/2）:400V,pitch:5.08mm,Color:black,Contact surface :Tin

### Vantaggi del prodotto

☑ PCB welding base
☑ Flexible supporting a variety of plugs

### Certificazione del prodotto

## Dati tecnici

### Disegno del prodotto

### Modello 3D

### Packaging information

| | |
|---|---|
| Type of packaging | bag packaging |

### Processing notes

| | |
|---|---|
| Process | Reflow soldering/wave soldering/manual soldering |

### Electrical parameters UL

| | |
|---|---|
| Rated voltage (B) | 300V |
| Rated voltage (D) | 300V |
| Rated current (B) | 10A |
| Rated current (D) | 10A |

### Electrical parameters IEC

| | |
|---|---|
| Rated voltage | 400V |
| Rated voltage(III/3) | 250V |
| Rated current | 8A |
| Rated voltage(III/2) | 400V |
| Rated voltage(II/2) | 630V |
| Rated surge voltage(III/3) | 4KV |
| Rated surge voltage(III/2) | 4KV |
| Rated surge voltage(II/2) | 4KV |

Item properties

| | |
|---|---|
| Type of installation | PCB welding |
| Pin arrangement | Double-row in a straight line |
| Pitch | 5.08mm |
| Number of potentials | 6 |
| Pluggable or not | Yes |
| Number of rows | 2 |

Material data

| | |
|---|---|
| Environmental items | Compliant with REACH/RoHS |
| Contact material | copper |
| Contact zone metal surface | tin-plated |
| Insulation Materials | High temperature resistant materials |
| Relative tracking index CTI | 250V |
| Glow Wire Flammability Index GWFI | 850 |
| Shell color | Black |
| Insulating material group | IIIa |
| Flammability rating | UL94V-0 |

### Mechanical tests

| | |
|---|---|
| Test Specification | IEC61984/ UL1059 |

### Environmental data

| | |
|---|---|
| Ambient temperature (operation) | -40℃~120℃ |

## Accessori

### Tool

| | |
|---|---|
| Screwdriver | / |
| Operating tool | / |

### Accessories

| | |
|---|---|
| Coding strip | / |
| Bridge | / |
| Marking strip | / |
| Others | / |

## Dati aziendali

| | |
|---|---|
| numero d'ordine | 10030007811 |
| Unità di imballaggio | |
| Quantità di ordine minimo | |
| Peso dei prodotti (senza imballaggio) | |