概要

製品情報



## ESS-70A-10-S-OR-00-20160003115

Energy storage connector, product range: ESS socket, color: orange, wire cross section: 6 mm², rated voltage: 1000V, rated current: 70 A, connection method: screw, contact type: pin

製品の特長

- ☑ Degson has its own patented design
- ☑ There are no safety locks
- ☑ There's a free spin of 360°
- ☑ There's no electric shock protection
- ☑ There's no wrong insertion or short circuit

製品認証

CE

技術データ

製品チャート

3Dモデル

Environment condition

| | |
|---|---|
| Protection grade (pair plug) | IP67 |
| Ambient temperature (operation) | -40°C ~ +125°C |
| Ambient temperature (storage/transportation) | -40°C ~ +80°C |
| Altitude | 2000m |

Wiring data

| | |
|---|---|
| Wiring mode | Screw |

Mechanical properties

| | |
|---|---|
| Plugging times | 100 |
| Pullout force | >10N |
| Insertion force | <55N |

Standards and specifications

| | |
|---|---|
| Standard/Specification | UL4128 |

Material data

| | |
|---|---|
| Insulating material | Nylon |
| Halogen-free | Compliance with standards |
| Environmental protection matters | REACH/RoHS compliant |
| Sealing ring material | Silicone |
| Contact material | Copper alloy |
| Shell color | Orange |
| Flammability rating | UL94V-0 |

Electrical parameters

| | |
|---|---|
| Pollution level | 3 |
| Rated current | 70A |
| | 1000V |
| Insulation resistance | >5000MΩ |
| Contact resistance | ≤0.5mΩ |

アクセサリ

ビジネスデータ

| | |
|---|---|
| 注文番号 | 20160003115 |
| パッキングユニット | 75 |

| | |
|---|---|
| 最小注文数量 | 75 |
| 1個あたりの重量（梱包を含めない） | 11.5 |