Overview

Product information



Relay module-DM72-RME-04-PN-1-4D-00A(H)-30030000088

Solid State Relay Module,4 relays can be installed,with relay Socket,with indicator light,panasonic relay,PNP or NPN signal can be input (Please contact us for relay replacement)

Product advantages

☑ Each signal channel and power supply voltage have LED status indicators
☑ Ultra-small solid state relay, with a set of normally open contacts, one-to-one output at the output
☑ Suitable for NPN, PNP controller
☑ 适Freewheeling diode for each signal path
☑ Suitable for DC load

Product certification

Technical data

Product drawing

3D model

Overview

Installation location	Arbitrary
Number of channels	4
Shell Insulation Materials	PVC/PA66
color	green

Dimension

width	90mm
Height	60mm
length	40mm

Enter technical data	
Rated input voltage	20VDC~ 28VDC
Input voltage range relative to UN	0.9....1.1
protected name	Polarity protection
Protection circuits/components	Polarity Protection Diode
Status display/channel	green

Export technical data	
contact type	1NO
Maximum switching voltage	60VAC 60VDC
Limit continuous current	3A
Fault monitoring (open circuit/short circuit)	no

Output connection data	
connection name	output
Connection method	screw connection
Stripping length	6-7mm
thread	M3
connection volume	1
number of digits	8
Hard conductor cross section	1.0 ... 2.5mm²
Flexible conductor cross section	1.0 ... 2.5mm²
Connectable guide cross section AWG	28...12AWG

Enter connection data	
connection name	enter
Connection method	screw connection
Stripping length	6-7mm

thread	M3
connection volume	1
number of digits	6
Hard conductor cross section	1.0 ... 2.5mm²
Flexible conductor cross section	1.0 ... 2.5mm²
Connectable guide cross section AWG	28...12AWG

Environmental data

Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage / transport)	-20 °C ... 70 °C

Standards/Regulations

Standards/Regulations	IEC61810
Pollution level	3
Overvoltage category	III

Accessories

Business data

Order number	30030000088
Packing unit	4
Minimum order quantity	4
Products weight (without packaging)	67