
Overview

Product information



Relay module-DM72-RME-16-PN-1-4D-01A(H)-30030000097

Solid State Relay Module,with relay Socket ,16 relays can be installed,with relay Socket,with indicator light,panasonic relay,PNP or NPN signal can be input (Please contact us for relay replacement)

Product advantages

☑ Each signal channel and power supply voltage have LED status indicators
☑ Ultra-small solid state relay, with a set of normally open contacts, one-to-one output at the output
☑ Suitable for NPN, PNP controller
☑ 适Freewheeling diode for each signal path
☑ Suitable for DC load

Product certification

Technical data

Product drawing

3D model

Overview

Installation location	Arbitrary
Number of channels	8
Shell Insulation Materials	PVC/PA66
color	green

Dimension

width	90mm
Height	60mm
length	117mm

Enter technical data

Rated input voltage	20VDC~ 28VDC
Input voltage range relative to UN	0.9....1.1
protected name	Polarity protection
Protection circuits/components	Polarity Protection Diode
Status display/channel	green

Export technical data

contact type	1NO
Maximum switching voltage	60VAC 60VDC
Limit continuous current	3A
Fault monitoring (open circuit/short circuit)	no

Output connection data

connection name	output
Connection method	screw connection
Stripping length	6-7mm
thread	M3
connection volume	2
number of digits	16
Hard conductor cross section	1.0 ... 2.5mm²
Flexible conductor cross section	1.0 ... 2.5mm²
Connectable guide cross section AWG	28...12AWG

Enter connection data

connection name	enter
Connection method	screw connection
Stripping length	6-7mm

thread	M3
connection volume	2
number of digits	44842
Hard conductor cross section	1.0 ... 2.5mm²
Flexible conductor cross section	1.0 ... 2.5mm²
Connectable guide cross section AWG	28...12AWG

Environmental data

Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage / transport)	-20 °C ... 70 °C

Standards/Regulations

Standards/Regulations	IEC61810
Pollution level	3
Overvoltage category	III

Accessories

Business data

Order number	30030000097
Packing unit	1
Minimum order quantity	10
Products weight (without packaging)	195