## Aperçu

### informations sur le produit



# FEAC-S-016A-P4-03-0.0M-22070000033

A charging socket for a charging post，cable-free, for charging electric vehicles (evs) using alternating current (AC) , Type 2, IEC 62196-2,16A/250V (AC) , enclosure: Black, DEGSON logo

### Les avantages des produits

☑ All Degson vehicle sockets and plug-in power supply sockets are designed in a unified manne
☑Both power and signal contacts are silver plated
☑passed IATF 16949:2016 certification
☑It conforms to human mechanics and is easy to operate

### Les certificates des produits

## Caractéristiques techniques

### Dessin de produit

### Modèle 3D

### Environmental conditions

| | |
|---|---|
| Maximum altitude | 5000m(Above sea level ) |
| Ambient temperature (operation) | — 30 °C ~ 50 °C |
| Ambient temperature (storage / transport) | — 40 °C ~ 80 °C |
| IP class | IP54(coupling ) |

### Electrical characteristics

| | |
|---|---|
| Maximum charge power | 4KW |
| Phase | 1 |
| Power pin quantity | 3 |
| Rated current of high-power contacts | 50 |

| | |
|---|---|
| | 16 |
| Power contact rated voltage | 250 |
| Quantity of signal contacts | 2 |
| Signal contact rated current | 2 |
| Signal contact rated voltage | 30 |
| Signal transmission type | Pulse width adjustment |

Mechanical properties

| | |
|---|---|
| Insertion/pullout cycle | 10000 |
| Insertion force | < 100N |
| Pull out force | < 100N |

Marking material

| | |
|---|---|
| Shell color | black |
| Actuation component color | Silver |
| Cover color | black |
| Customization basis | Provided according to customer requirements |
| Shell material | Plastic |
| Protective cover material | Plastic |
| Flammability rating | V0 |
| Contact surface material | Ag |

Environmental Product Compliance

| | |
|---|---|
| REACH | conform |
| China RoHS | conform |

Dimension

| | |
|---|---|
| Vehicle connector height | 45mm(Vehicle charging connector) |
| Vehicle connector width | 100mm(Vehicle charging connector) |

## Accessoires

## Caractéristiques commerciales

| | |
|---|---|
| Numéro de la commande | 22070000033 |
| Unité d'emballage | 36 |
| Quantité minimale de commande | |
| Le poid de produit (sans emballage) | 0.474kg |