
## Panoramica

### Informazioni sul prodotto



# PC6-PE-11010000097

Screw type Din-Rail TB, connector method: Screw/plug-in connector, Number of connectors: 2, Number of potentials: 1, Cross section: 0.2 mm² - 6 mm², AWG: 24 - 8, Width: 8.2 mm, Color: green-yellow, Mounting type: NS 35/7.5, NS 35/15

### Vantaggi del prodotto

☑Screw connection technology, reliable connection;
☑Grounding structure, protection circuit;
☑Copper alloy material, good corrosion resistance;
☑Can be matched with marker strips to avoid incorrect insertion of wires。

### Certificazione del prodotto

## Dati tecnici

### Disegno del prodotto

### Modello 3D

### Wiring data

| | |
|---|---|
| Screw type | Slotted screw |
| 2 flexible conductors with a TWIN ferrule | 0.5-1.5mm² |
| Conductor cross section flexible (ferrule with plastic sleeve) | 0.2-4mm² |
| Strip length | 8~9mm |
| Conductor cross section solid | 0.2~6mm² |
| Conductor cross section flexible | 0.2~6mm² |
| Conductor cross section solid AWG | 24~8 |

| | |
|---|---|
| screw thread | M3 |
| Tightening torque | 0.5N.m |

Environmental conditions

| | |
|---|---|
| Ambient temperature (operation) | -40 °C ~ 105 °C（depending on derating curve） |
| Relative humidity (storage/transport) | 25%~75% |

IEC Electrical parameters

| | |
|---|---|
| Rated surge voltage | 8KV |

Environmental protection

| | |
|---|---|
| REACh SVHC | Lead 7439-92-1 |
| RoHS | No excessive harmful substances |

Dimension

| | |
|---|---|
| NS 35/7,5 Height | 47.1mm |
| NS 35/15 Height | 54.6mm |
| length | 42.5mm |
| width | 8.2mm |
| Height | 46mm |

Overview

| | |
|---|---|
| Connection method | screw connection |
| Number of rows | 1 |
| number of connections | 2 |
| Open-end side panels | no |
| Insulation Materials | PA |
| Flame retardant grade, in line with UL 94 | V0 |

Accessori

## Accessories

| | |
|---|---|
| Slotted screwdriver size (Blade thickness x Width) | 1×4 |
| Fixed bridge | / |
| Insertion bridge | EB2-8 / EB3-8 / EB10-8 |
| End cover | / |
| Separating disk | / |
| Partition plate | / |

## Marker

| | |
|---|---|
| Top marker | / |
| Marker | ZB8 |
| Marker support | / |

## Installation

| | |
|---|---|
| End clamp | E-WS N / E-PC-1100A |
| Terminal strip marker support | KLM3-20x8 / KLM3-44x8 / DLM2 / DBE-1 / DBE-2 |
| DIN rail | NS35/7.5 & NS35/15 |

## Marking & Installation

| | |
|---|---|
| Marking strip | ZB8 |
| Marker cards | DBE-1 |

## Accessories

| | |
|---|---|
| Bridge | EBXX-8 |
| End clamp | E-WS |
| DIN rail | NS35/7.5-1000-00A(H) |

## Dati aziendali

| | |
|---|---|
| numero d'ordine | 11010000097 |

| | |
|---|---|
| Unità di imballaggio | 50 |
| Quantità di ordine minimo | 50 |
| Peso dei prodotti (senza imballaggio) | 25.775 |