
## Áttekintés

### Termék információ



# DS4-QU-PE-11040000049

Push-in Din-Rail TB, connector method: Push-in connector, Number of connectors: 4, Number of potentials: 1, Cross section: 0.2 mm² - 6 mm², AWG: 24 - 10, Width: 6.2 mm, Color: green-yellow, Mounting type: NS35/7.5, NS35/15

### A termék előnyei

☑Push-in connection technology, tool-free operation, more convenient and faster;
☑With orange wire button, one word or cross screwdriver can release wire.
☑Optional marker to avoid wire mis-inserting.
☑Equipped with test holes for easy testing of the circuit.

### Termék tanúsítás

## Műszaki adatok

### Termékrajz

### 3D modell

### Wiring data

| | |
|---|---|
| Strip length | 10~12mm |
| Conductor cross section solid | 0.2~6mm² |
| Conductor cross section flexible | 0.2~4mm² |
| Conductor cross section solid AWG | 24~10 |

### Environmental conditions

| | |
|---|---|
| Ambient temperature (operation) | -40 °C ~ 105 °C（depending on derating curve） |
| Relative humidity (storage/transport) | 25%~75% |

### IEC Electrical parameters

| | |
|---|---|
| Rated surge voltage | 8KV |

### Environmental protection

| | |
|---|---|
| REACh SVHC | Lead 7439-92-1 |
| RoHS | No excessive harmful substances |

### Dimension

| | |
|---|---|
| NS 35/7,5 Height | 36.8mm |
| End plate width | 2.2mm |
| NS 35/15 Height | 44.3mm |
| length | 77mm |
| width | 6.2mm |

### Overview

| | |
|---|---|
| Connection type | In line connection |
| Number of rows | 1 |
| number of connections | 4 |
| Open-end side panels | Yes |
| Insulation Materials | PA |
| Flame retardant grade, in line with UL 94 | V0 |

## Melléklet

### Marker

| | |
|---|---|
| Top marker | ZB6 / ZS6 |
| Side marker | ZSF6 |
| Marker support | DTH5-25x5 / DTH5-25x12 |

### Accessories

| | |
|---|---|
| Slotted screwdriver size (Blade thickness x Width) mm | 0.6x3.5 |

| | |
|---|---|
| Bridge | / |
| End cover | D-DS4-QU |

Installation

| | |
|---|---|
| End clamp | E-WS N / E-PC-1100A |
| Terminal strip marker support | KLM3-20x8 / KLM3-44x8 / DBE-1 / DBE-2 |
| DIN rail | NS35/7.5-1000-00A(H) |

## Üzleti adatok

| | |
|---|---|
| Rendelésszám | 11040000049 |
| Csomagolási egység | 50 |
| Minimális rendelési mennyiség | 50 |
| A termékek súlya (csomagolás nélkül) | 13.712 |