## 概要

### 製品情報



# DCKKB2.5-PE-02A(H)-11020000194

Screw type Din-Rail TB， connector method: Screw/plug-in connector， Number of connectors: 4， Number of potentials: 1， Cross section: 0.2 mm² - 4 mm²， AWG: 28 - 12， Width: 5.1 mm， Color: green-yellow， Mounting type: NS 35/7.5， NS 35/15

### 製品の特長

☑Steel screw connection technology, reliable connection；
☑Grounding structure, protection circuit；
☑The box has a baffle to prevent mis-insertion；
☑Can be matched with marker strips to avoid incorrect insertion of wires。

### 製品認証

CE

## 技術データ

### 製品チャート

### 3Dモデル

### Wiring data

| | |
|---|---|
| Screw type | Cross & Slotted screw |
| Conductor cross section flexible (ferrule with plastic sleeve) | 0.5-1.5mm² |
| Strip length | 8~9mm |
| Conductor cross section solid | 0.2~4mm² |
| Conductor cross section flexible | 0.2~2.5mm² |
| Conductor cross section solid AWG | 28~12 |
| screw thread | M2.5 |

| | |
|---|---|
| Tightening torque | 0.4N.m |

Environmental conditions

| | |
|---|---|
| Ambient temperature (operation) | -40 °C ~ 105 °C（depending on derating curve） |
| Relative humidity (storage/transport) | 25%~75% |

IEC Electrical parameters

| | |
|---|---|
| Rated surge voltage | 6KV |

Environmental protection

| | |
|---|---|
| REACh SVHC | Lead 7439-92-1 |
| RoHS | No excessive harmful substances |

Dimension

| | |
|---|---|
| NS 35/7,5 Height | 63mm |
| End plate width | 1.5mm |
| NS 35/15 Height | 70.5mm |
| length | 76mm |
| width | 5.1mm |
| Height | 61.8mm |

Overview

| | |
|---|---|
| Connection method | screw connection |
| Number of rows | 2 |
| number of connections | 4 |
| Open-end side panels | Yes |
| Insulation Materials | PA |
| Flame retardant grade, in line with UL 94 | V0 |

アクセサリ

## Marker

| | |
|---|---|
| Top marker | / |
| Side marker | ZB5 / WB5 |
| Marker support | / |

## Accessories

| | |
|---|---|
| Slotted screwdriver size (Blade thickness x Width) | 0.6×3.5 |
| Bridge | DFA2.5 |
| End cover | D-DCKKB2.5 |
| Partition plate | / |

## Installation

| | |
|---|---|
| End clamp | E-WS N / E-PC-1100A |
| Terminal strip marker support | KLM3-20x8 / KLM3-44x8 / DLM2 / DBE-1 / DBE-2 |
| DIN rail | NS35/7.5 & NS35/15 |

## ビジネスデータ

| | |
|---|---|
| 注文番号 | 11020000194 |
| パッキングユニット | 50 |
| 最小注文数量 | 50 |
| 1個あたりの重量（梱包を含めない） | 14.56 |